

products > Operating & service fluids > Coolant fluids > FANFARO Truck AFG Super



## FANFARO TRUCK AFG SUPER 4307

A hybrid (HOAT - Hybrid Organic Acid Technology) high-technology concentrated antifreeze with excellent operating characteristics intended for a year-round use in any modern cooling system for which the use of mono-ethylene-glycol-based antifreeze is recommended. It ensures a reliable protection of any cooling system.

### Product properties:

- It ensures a reliable protection of metals and alloys (brass, copper, alloy-treated steel, cast iron, aluminium) from all forms of corrosion, as well as prevents a high-temperature corrosion of aluminium surfaces of modern engines. It provides sufficient anti-corrosion properties from the concentration as low as 30%;
- The non-organic additive package protects the surface at once and the organic part starts to act only when corrosion sources appear thus a maximum protection is reached from the start of use and the service life of the engine is extended;
- It has an exceptional thermal stability. It protects from deposit formation;
- It has excellent heat conductivity properties and a resistance to foam formation;
- It is neutral to inserts and hoses, compatible with all types of rubber and plastic components of a cooling system;
- It has an excellent resistance to hard water and very low corrosion inhibitor depletion rates;
- The high-efficiency additive package ensures an exceptional stability of operating properties of the antifreeze throughout the entire service life;
- It contains a fluorescent dye allowing identifying even small leakages of the antifreeze in the UV light;
- It is a liquid with an elevated level of borates and silicates. It does not contain nitrates, phosphates and amines (the NAP free technology).

Colour: green.

Service life: no less than 3 years.

Comply with the manufacturer's instructions provided in the user's manual!

## CORRESPONDS WITH REQUIREMENTS / SPECIFICATIONS / PRODUCTS:

```
{"Recommendation":["SAE J1034","ASTM USA D3306","ASTM USA D4340","ASTM USA D4985","NATO S-759","BMW ","DAF ","FORD ESE-M978B4H-A","FORD AF Plus","GM 1825 M","GM 1899 M","GM SATURN ","JAGUAR ","JOHN DEERE ","MAN 324 NF","MB 325.0","RENAULT Typ D","ROVER ","SAAB "],"Approval":[],"Specification":[]}
```

## PACKAGES (ARTICLE NUMBER):

208L (FF4307-DR)

20L (FF4307-20)