



## FANFARO ATF

### 8602

A universal all-season high-viscosity synthetic transmission fluid (ATF) for automatic gearboxes. It was specially developed for all modern automatic gearboxes (manual or sequential modes, electronic control, etc.) equipped with and without a hydraulic converter lock-up. It is also compatible with old-generation automatic gearboxes, hydraulic power steering systems, ship reversing gears, hydrostatic transmissions, hydraulic/mechanical systems in which the use of fluids that correspond to Dexron (except Dexron VI) or Mercon standards is prescribed.

It ensures a flawless operation of an automatic gearbox, guarantees minimal wear, a lasting service life of transmissions and fuel economy. It was developed on the basis of the requirements set by the company AISIN WARNER.

#### Product properties:

- The highest-quality low-viscosity synthetic base with a consistent high viscosity index in combination with a multifunctional additive package preserves all its properties in a wide range of temperatures: it ensures good lubricating properties at low (-45°C) temperatures in winter and ensures a stable oil film under extreme loads and high temperatures in summer;
- The high-technology combination of additives ensures good antifriction properties for gear couplings and required friction properties for friction elements thus ensuring a significant fuel economy, a continuous and smooth transmission shift and an extended service life of all transmission elements. It ensures a coordinated and smooth operation of the clutch. It prevents scuffing;
- It has an increased thermal-oxidative and chemical stability and resistance to the high-temperature thermal degradation throughout the entire service life. It allows reducing lacquering, formation of sludge, soot and other carbon deposits, increasing the time between oil changes and ensuring the durability of transmission components thus reducing the equipment maintenance costs;
- It protects metal parts from ferrous and non-ferrous alloys (especially radiators) from corrosion when both in and not in operation;
- It effectively resists aeration and foam formation;
- It ensures a compatibility with all sealing materials, prevents them from swelling, hardening and shrinking thus allowing reducing the costs for spare parts and prevents leakages. It effectively protects fluoroelastomer

seals of heavy equipment;  
- It reduces noise.

It is recommended for automatic gearboxes produces by American: GM, FORD, CHRYSLER, etc., Asian: HYUNDAI/KIA, MITSUBISHI, NISSAN, SSANGYONG, SUBARU, TOYOTA , etc. and European manufacturers: BMW, CITROEN, FIAT, MB,VOLVO, PEUGEOT, RENAULT, etc.

Colour: red

Comply with the manufacturer's instructions provided in the user's manual!

**CORRESPONDS WITH REQUIREMENTS / SPECIFICATIONS / PRODUCTS:**

JASO M315 Type 1A

AISIN WARNER JWS 3309

ALLISON C3

ALLISON C4

VOLKSWAGEN G 052 025

VOLKSWAGEN G 052 162

VOLKSWAGEN G 052 990

VOLKSWAGEN G 055 025

BMW 83 22 0 403 248

BMW 83 22 2 163 514

BMW 83 22 9 407 765 (LA 2634)

BMW 83 22 9 407 807

CHRYSLER ATF+3

CHRYSLER ATF+4

DAIHATSU ALUMIX ATF MULTI

FORD Mercon V

FORD Mercon SP

FORD Mercon LV

FORD ATF Type F

GM Dexron II

GM Dexron II D

GM Dexron II E  
GM Dexron III F  
GM Dexron III G  
GM Dexron III H  
GM Dexron VI  
HONDA ATF-Z1  
HONDA ATF DW-1  
HYUNDAI ATF SP-II  
HYUNDAI ATF SP-III  
IDEMITSU K17-Jaguar X Type 2001-2005  
JATCO ATF 3100 PL085  
KIA ATF-SP-II  
KIA ATF-SP-III  
MAN 339F  
MAN 339 V1  
MAN 339 V2  
MAN 339 Z1  
MAN 339 Z2  
MAZDA ATF M-III  
MAZDA ATF-MV  
MB 236.1  
MB 236.2  
MB 236.3  
MB 236.5  
MB 236.6  
MB 236.7  
MB 236.9  
MB 236.10  
MB 236.11  
MITSUBISHI DIAMOND SP-II

MITSUBISHI DIAMOND SP-III

MOPAR AS68RC

NISSAN Matic D

NISSAN Matic J

NISSAN Matic K

PORSCHE JWS 3309

SUBARU ATF-5

SUBARU ATF-HP

SUZUKI 3314

SUZUKI 3317

SUZUKI 2384K

SUZUKI ATF OIL

SUZUKI ATF OIL SPECIAL

TOYOTA ATF Type T

TOYOTA ATF Type T-II

TOYOTA ATF Type T-III

TOYOTA ATF Type T-IV

VOITH H 55.6335.XX (G607)

AUDI G 052 025

AUDI G 052 162

AUDI G 052 990

AUDI G 055 025

VOLVO 97340

VOLVO 97341

ZF TE-ML 03D

ZF TE-ML 04D

ZF TE-ML 11B

ZF TE-ML 14A

ZF TE-ML 14B

ZF TE-ML 16L

ZF TE-ML 17

Others TEXACO N402 / ETL 7045E / ETL 8072B / MOBIL ATF LT 71141

**PACKAGES (ARTICLE NUMBER):**

1L (FF8602-1ME)  
1000L (FF8602-IBC)  
208L (FF8602-DR)  
60L (FF8602-60)  
20L (FF8602-20)  
10L (FF8602-10)  
4L (FF8602-4ME)  
1L (FF8602-1)