FANFARO AZF 6

8613

A special all-season synthetic transmission fluid (ATF) for new-generation 6-speed automatic gearboxes of the ZF Group. It ensures a flawless operation of an automatic gearbox, guarantees minimal wear, a lasting service life of transmissions and fuel economy even under extreme loads. It was developed taking into account special requirements G 055 005 set by the Group VW.

Product properties:
- The highest-quality low-viscosity synthetic base with a consistent high viscosity index in combination with a multifunctional additive package preserves all its properties in a wide range of temperatures: it ensures good lubricating properties at low (-45 °C) temperatures in winter and ensures a stable oil film under extreme loads and high temperatures in summer;
- The high-technology combination of additives ensures good antifriction properties for gear couplings and superior friction properties for friction elements thus ensuring a significant fuel economy, a continuous and smooth transmission shift and the increase in the service life of all transmission elements. It ensures a coordinated and smooth operation of clutches. It prevents scuffing;
- It has an increased thermal-oxidative and chemical stability and resistance to the high-temperature thermal degradation throughout the entire service life. It allows reducing lacquering, formation of sludge, soot and other carbon deposits, increasing the time between oil changes and ensuring the durability of transmission components thus reducing the equipment maintenance costs;
- Due to the addition of special inhibitors, it effectively protects metal parts from ferrous and non-ferrous alloys from corrosion when both in and not in operation;
- It effectively resists aeration, the foam formation and cavitation, has excellent cooling properties; It has low loss by evaporation;
- It ensures a compatibility with all sealing materials, prevents them from swelling, hardening and shrinking that allows reducing the costs for spare parts and prevents leakages;
- It reduces noise.

It is recommended for new-generation 6-speed transmissions for ZF Group passenger cars and Volkswagen, Audi, Seat, Skoda commercial vehicles, in

which the compliance with VW G 055 005 requirements and the above-mentioned specifications of European manufacturers is required.
Colour: yellow-brown
Comply with the manufacturer’s instructions provided in the user’s manual!

CORRESPONDS WITH REQUIREMENTS / SPECIFICATIONS / PRODUCTS:

Recommendation:
AISIN JWS 3324 ATF, ATFu20100WS
ATF 134
ATF 3353
ATF L12108
ATF Mu20101375.4
ATF Mu20101375.6
BENTLEY PY112995PA
BENTLEY Oil No. JNV 862 564 D
BMW ATF 3+ (Oil No. 83 22 2 289 720)
BMW ATF6
BMW Mu2010L12108
BMW 83 22 0 142 516
BMW 83 22 0 397 114
BMW 83 22 2 152 426
BMW 83 22 2 163 514
BMW 83 22 2 289 720
BMW 83 22 2 305 396
BMW 83 22 2 305 397
BMW 83 22 2 355 599
BMW 83 22 2 355 601
FCA 8 & 9 Speed ATF, 68218925AA/AB
FCA AWu20101, 68092912AA
FCA Dexu2010VI, 68043742AA
FCA Fiat 9.55550u2010AV2
FCA Fiat 9.55550u2010AV5
FCA Fiat 9.55550u2010AV6
FCA 5127382
FCA 68157995AA/AB
FCA SPu20104, 68171866AA
FCA SPu2010IV, 68171866AA
FCA SPu2010IV, 68171869AA
FCA SPu2010IVu2010M, 68171866AB, SPu2010IVu2010M1
FORD XTu201010u2010QLV [LV]
FORD XTu20106u2010QSP [SP]
GM AWu20101, 19256039
GM Dex HP [GMW 16974]
GM Dexu2010VI [GMW 16444]
GM 1940773; 19 40 773
GM WS, 88863400 / 88863401
Honda/Acura ATF DWu20101, 08200u20109008
Honda/Acura ATF Type 3.0, 08200u20109016u2010A
Honda/Acura ATF Type 3.1, 08200u20109017 (USA)
Honda/Acura ATF Type 3.1, 08263u2010999u201001HE (EU)
Hyundai/Kia ATF SPu2010IV

Hyundai/Kia ATF SPu2010IVu2010M, SPu2010IVu2010M1
Hyundai/Kia 040000C90SG
Hyundai/Kia SP4u2010M1
Hyundai/Kia SPHu2010IV
Hyundai/Kia SPu2010IV
Hyundai/Kia SPu2010IVu2010RR
Hyundai/Kia WS, spec NWSu20109638
ISUZU ATF WSI
ISUZU SCS
JAGUAR 02JDE 26444
JAGUAR Fluid 8432
JAMA JASO M315, Class 1u2010Au2010LV
LAND ROVER AWu20101 LR0022460: LV
LAND ROVER TYK500050
LAND ROVER LR023288/023289
MASERATI Oil No. 231603
MAZDA ATF FZ
Mercedes 236.12
Mercedes 236.14
Mercedes 236.41
MITSUBISHI ATFu2010J3
MITSUBISHI Dia Queen ATFu2010MA1, MZ320775
MITSUBISHI Dia Queen ATFu2010PA, 4030401
MITSUBISHI SPu2010IV
NISSAN Matic R, 999MPu2010MTR00P
NISSAN Matic S , 999MPu2010MTS00P
NISSAN Matic W
PORSCHE 000 043 304 00/01
PORSCHE 000 043 305 43
PORSCHE 000 043 305 54
PORSCHE 000 043 306 24
PORSCHE 958 300 540 00
SAAB 93 165 147
SUBARU ATFu2010WS
SUZUKI Matic S
TOYOTA ATF FZ
TOYOTA JWS 3324, ATF WS (or NWS9638)
VOLVO 31 256 774, 31 256 775 (Volvo 6)
VW/Audi G 052 533
VW/Audi G 055 005 A2
VW/Audi G 055 162 A2 or A6
VW/Audi G 055 540 A2
VW/Audi G 060 162 A1 / A2 / A6
ZF LifeguardFluid 6 (ZF No. S671 090 255)
ZF LifeguardFluid 8 (ZF No. S671 090 312)
ZF LifeguardFluid 9 (ZF No. AA01.500.001)
ZF LifeguardFluid 8 (ZF No. S671.090.281)
ZF LifeguardFluid 8 (ZF No. S671.090.310)
ZF LifeguardFluid 8 (ZF No. S671.090.311)
ZF LifeguardFluid 8 (ZF No. S671.090.313)

PACKAGES (ARTICLE NUMBER):

1L (FF8613-1)
208L (FF8613-DR)

20L (FF8613-20)