

products > Gear oils & transmission fluids > Automatic transmission fluids > FANFARO ATF VI



FANFARO ATF VI 8615

A universal all-season synthetic transmission fluid (ATF) for automatic gearboxes, hydraulic converters, hydraulic power steering systems, car hydraulic clutches and other hydraulic devices, including the ones operating in heavy-duty conditions in trucks and off-road vehicles. It ensures a flawless operation of an automatic gearbox, guarantees minimal wear, a lasting service life of transmissions and fuel economy. It was developed on the basis of the requirements set by GM and Ford groups.

Product properties:

- The highest-quality low-viscosity synthetic base with a consistent high viscosity index in combination with a multifunctional additive package preserves all its properties in a wide range of temperatures: it ensures good lubricating properties at low (-45 °C and lower) temperatures in winter and ensures a stable oil film under extreme loads and at high temperatures in summer;
- The high-technology combination of additives ensures excellent antifriction properties for gear couplings and superior friction properties for friction elements thus ensuring a significant fuel economy, a continuous, exact and smooth transmission shift in any driving conditions and an extended service life of the automatic gearbox itself and all transmission elements. It ensures a coordinated and smooth operation of clutches. It prevents scuffing;
- It has an exceptional thermal-oxidative and chemical stability and resistance to the high-temperature thermal degradation throughout the entire service life. It allows reducing lacquering, formation of sludge, soot and other carbon deposits, increasing the time between oil changes and ensuring the durability of transmission components thus reducing the equipment maintenance costs;
- It effectively protects metal parts from ferrous and non-ferrous alloys (especially radiators) from corrosion when both in and not in operation; It has a great compatibility with friction coupling materials;
- It effectively resists aeration and foam formation;
- It ensures an excellent compatibility with all sealing materials, prevents them from swelling, hardening and shrinking that allows reducing the costs for spare parts and prevents leakages. It effectively protects fluoroelastomer seals of heavy equipment;
- It reduces noise.

It is recommended for automatic gearboxes of passenger cars requiring the ATF Type Dexron-VI or Dexron-III H/G/F or Dexron-III E or FORD MERCON LV quality oil. It is recommended for use in new 6-speed transmissions of GM, BMW, Land Rover, Jaguar vehicles, as well as 8- and 10-speed transmissions of Aisin vehicles.

Colour: red.

Comply with the manufacturer's instructions provided in the user's manual!

CORRESPONDS WITH REQUIREMENTS / SPECIFICATIONS / PRODUCTS:

Specifications:

JASO M315, Class 1-A-LV

Recommendation:

SAAB ATF HP

GM Type A Suffix A

SAAB JWS 3309

GM Saturn T-IV Fluid

ALLISON C4

SAAB 93 160 393

GM Saturn 22689186

FCA ATF+4

SAAB 93 165 147

GM ATF Z1

FORD Mercon LV

SATURN Dex-III G

GM Saturn 22717466

GM Dex-VI [GMW 16444]

SATURN T-IV Fluid

GM AW-1

HYUNDAI ATF SP-IV

SATURN 22689186

GM 19256039

KIA SP-IV

SSANGYONG DSIH 5M-52

GM ATF WS

TOYOTA ATF WS Lifetime

SSANGYONG DSIH 5M-66

GM 88863400

MB 236.14

SUBARU ATF HP

GM 88863401

NISSAN Matic S

SUBARU ATF-WS

HONDA ATF DW-1

TOYOTA JWS 3324

SUBARU K0140Y0700

HONDA 08200-9008

ATF M-1375.4

SUBARU SOA635040

HONDA ATF Type 3.0

MB A 0019892203
SUZUKI ATF 2326
HONDA 08200-9016-A
MB ATF 3403-M115
SUZUKI ATF 2384K
HONDA ATF Type 3.1
MB 236.1
SUZUKI ATF 3314
HONDA 08200-9017
MB 236.10
SUZUKI ATF 3317
HONDA ATF Z1
MB 236.11
SUZUKI ATF 5D06
HONDA 08200-9001
MB 236.12
SUZUKI Matic D
HONDA 08200-9001A
MB 236.15
SUZUKI Matic J
HYUNDAI ATF RED-1K
MB 236.2
SUZUKI Matic S
HYUNDAI Genuine ATF
MB 236.41
VOLVO 1161521
HYUNDAI JWS 3314
MB 236.5
VOLVO 1161621
HYUNDAI 00232-19023
MB 236.8
VOLVO 1161640
HYUNDAI 040000C90SG
VOLKSWAGEN LT 71141
VOLVO 1161540
HYUNDAI 04500-00140
VOLKSWAGEN G 052 162 [AG4]
VOLVO 31 256 774
HYUNDAI UM040 CH20 Red-1
VOLKSWAGEN G 052 533
VOLVO 31 256 775
HYUNDAI SP
VOLKSWAGEN G 052 990 A2
ZF LifeguardFluid 5 (ZF No. S671 090 170)
HYUNDAI SP4-M1
VOLKSWAGEN G 055 005 A2
ZF LifeguardFluid 6 (ZF No. S671 090 255)
HYUNDAI SPH-IV
VOLKSWAGEN G 055 025 A2
ZF LifeguardFluid 8 (ZF No. S671 090 312)
HYUNDAI SP-II
VOLKSWAGEN G 055 162 A2
ZF LifeguardFluid 9 (ZF No. AA01.500.001)

HYUNDAI SP-III
VOLKSWAGEN G 055 540 A2
ZF TE-ML 05L
HYUNDAI SP-IV
VOLKSWAGEN G 060 162 A2
ZF TE-ML 11A
HYUNDAI SP-IV-RR
VOLKSWAGEN G US 000 162
ZF TE-ML 11B
HYUNDAI WS, spec NWS-9638
BMW ATF 3+
ZF TE-ML 21L
KIA ATF RED-1K
BMW ATF4
VOLVO 97340, AT100
KIA ATF SP-IV
BMW ATF6
VOLVO 97341, AT101
KIA Genuine ATF
BMW ETL-7045
FCA 68171866AA
KIA JWS 3314
BMW ETL-7045 E
KIA 00232-19023
MITSUBISHI ATF-J2
BMW ETL-8072B
MITSUBISHI ATF-J3
KIA 040000C90SG
BMW LA 2634
KIA 04500-00140
MITSUBISHI DIA Queen ATF-MA1, MZ320775
BMW LT 71141
MITSUBISHI Dia Queen ATF-PA, 4030401
KIA SP
BMW M-L12108
MITSUBISHI Dia Queen AW
KIA UM040 CH20 Red-1
BMW 81 22 9 400 272
MITSUBISHI DII
KIA SP4-M1
BMW 81 22 9 400 275
KIA SPH-IV
BMW 81 22 9 407 858
MITSUBISHI SP, MS991156
KIA SP-II
BMW 81 22 9 407 859
MITSUBISHI SP-II
KIA SP-III
BMW 83 22 0 024 249
MITSUBISHI SP-III
KIA SP-IV-RR
BMW 83 22 0 024 359
MITSUBISHI SP-IV

KIA WS, spec NWS-9638
BMW 83 22 0 026 922
TOYOTA ATF FZ
BMW 83 22 0 142 516
TOYOTA JWS 3309
BMW 83 22 0 397 114
TOYOTA 08886-81015
BMW 83 22 0 402 413
TOYOTA Type T, T-II, T-III, T-IV
BMW 83 22 0 403 248
TOYOTA Type D-II
BMW 83 22 0 403 249
NISSAN Fluid A
BMW 83 22 2 152 426
NISSAN Matic D
BMW 83 22 2 163 514
NISSAN Matic J
BMW 83 22 2 220 438
NISSAN Matic K
BMW 83 22 2 220 440
NISSAN Matic W
BMW 83 22 2 220 442
NISSAN N402
BMW 83 22 2 289 720
NISSAN 999MP-MTJ00P, 999MP-MTS00P
BMW 83 22 2 305 396
ISUZU ATF II
BMW 83 22 2 305 397
ISUZU ATF III
BMW 83 22 2 355 599
ISUZU Genuine ATF
BMW 83 22 2 355 601
ISUZU 08200-9001
BMW 83 22 7 542 290
ISUZU SCS
BMW 83 22 9 407 765
JAGUAR 02JDE 26444
BMW 83 22 9 407 807
JAGUAR Fluid 8432
MINI ATF JWS 3309
JAGUAR JLM 20238
MINI 83 22 0 402 413
JAGUAR JLM 20292
FORD ESP-M2C138-CJ
JAGUAR JLM 21044
FORD ESP-M2C166-H
JAGUAR K17, Jatco 3100 PL085
FORD XT-10-QLV [LV]
JAGUAR LT 71141
FORD XT-2-QDX [M]
JAGUAR WSS-M2C922-A1
FORD XT-2-QSM [Syn]
LAND ROVER ATF N402

FORD XT-5-QM [V]
LAND ROVER AW-1, LR0022460: LV
FORD XT-5-QSM [V Syn]
LAND ROVER JWS3309US
FORD XT-6-QSP [SP]
LAND ROVER TYK500050
FORD XT-8-QAW [Premium]
LAND ROVER LR023288/LR023289
FORD XT-9- QMM5 [FRN5]
MAN 339A
FORD WSS-M2C922-A1
MAN 339D
ALLISON C3
MAN 339F
ALLISON C2
MASERATI Oil No. 231603
MAZDA ATF FZ, ATF N-1, ATF S-1
AISIN WARNER JWS 3309
MAZDA ATF M-5, 0000-23-ATF -M5
AISIN WARNER JWS 3324
MAZDA F-1
AISIN WARNER ATF-0T4
MAZDA JWS3317
AISIN WARNER ATF-0WS
MAZDA M3
BENTLEY PY112995PA
MAZDA Type T-IV, JWS 3309
BOSCH TE-ML 09
PEUGEOT Z 000169756
CITROEN Z 000169756
PORSCHE JWS 3309
FCA ATF+3
PORSCHE 000 043 205 28
FCA ATF+2
PORSCHE LT 71141
FCA ATF+
PORSCHE 000 043 204 63
FCA ASRC
PORSCHE 000 043 304 00
FCA 8 & 9 Speed ATF
PORSCHE 999 917 547 00 (A2)
FCA 68218925AA
PORSCHE 000 043 205 09
FCA 68218925AB
PSA AL4 / 4HP20
FCA AW-1
PSA 9730AE
FCA 68092912AA
PSA B71 2340
FCA 68043742AA
RENAULT DP-0
FCA Dex-VI
RENAULT Matic D2

FCA 05127382AA
RENAULT SATF-D
FCA 05127382
ROLLS_ROYCE Oil No. PL 31493PA
FCA 68157995AA
FCA 68157995AB
FCA 68333587AA
FCA SP-IV
FCA SP-III
FCA 68171869AA
FCA Type 7176E
FCA Type 9602
ATF M-1375.6
ATF LA 2634
ATF L12108
ATF ETL-7045 E
ATF 3403-M115
ATF 3100 PL085
ATF 3353
ATF 134
ATF K17
ATF N402
DAIHATSU D3-SP
GM Dex [GM 6032M]
GM Dex-B [GM 6032M]
GM Dex-IIC [6137M]
GM Dex-IID [GM 6137M]
GM Dex-IIE [GM 6137M]
GM Dex-IIIF [GM 6297M]
GM Dex-IIIG [GM 6417M]
GM Dex-IIIH [GM N10055]
GM 19 40 700
GM 19 40 767
GM 21005966
GM 88900925
GM 9985010
GM 9986195

PACKAGES (ARTICLE NUMBER):

1L (FF8615-1)
1000L (FF8615-IBC)
208L (FF8615-DR)
20L (FF8615-20)